

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

DATE MAILED: 10/05/2004

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/027,900		12/21/2001	Daniel L. Ellingson	16,988	3215
23556	7590	10/05/2004		EXAMINER	
		K WORLDW	PATEL, NIHIR B		
401 NORTH LAKE STREET NEENAH, WI 54956			ART UNIT	PAPER NUMBER	
,			3743		

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
Advisory Action	10/027,900	ELLINGSON ET AL.				
	Examiner	Art Unit				
	Nihir Patel	3743				
The MAILING DATE of this communication appe	ars on the cover sheet with the o	correspondence address				
THE REPLY FILED 05.28.2004 FAILS TO PLACE THIS Therefore, further action by the applicant is required to a final rejection under 37 CFR 1.113 may only be either: (1 condition for allowance; (2) a timely filed Notice of Appea Examination (RCE) in compliance with 37 CFR 1.114.	void abandonment of this appliced in the control of this application and the control of the cont	cation. A proper reply to a ich places the application in				
PERIOD FOR RE	PLY [check either a) or b)]					
a) The period for reply expires <u>3</u> months from the mailing date of						
b) The period for reply expires on: (1) the mailing date of this Adv event, however, will the statutory period for reply expire later the ONLY CHECK THIS BOX WHEN THE FIRST REPLY WAS 706.07(f).	an SIX MONTHS from the mailing date o	f the final rejection.				
Extensions of time may be obtained under 37 CFR 1.136(a). The dathave been filed is the date for purposes of determining the period of extens 37 CFR 1.17(a) is calculated from: (1) the expiration date of the shortened (b) above, if checked. Any reply received by the Office later than three moleaned patent term adjustment. See 37 CFR 1.704(b).	sion and the corresponding amount of the I statutory period for reply originally set in	e fee. The appropriate extension fee under the final Office action; or (2) as set forth in				
1. A Notice of Appeal was filed on Appellant's 37 CFR 1.192(a), or any extension thereof (37 CF						
2. The proposed amendment(s) will not be entered be	ecause:					
(a) X they raise new issues that would require furth	er consideration and/or search ((see NOTE below);				
(b) they raise the issue of new matter (see Note by	pelow);					
(c) they are not deemed to place the application i issues for appeal; and/or	in better form for appeal by mat	terially reducing or simplifying th				
(d) they present additional claims without cancel NOTE:	ing a corresponding number of	finally rejected claims.				
3. Applicant's reply has overcome the following reject	etion(s):					
4. Newly proposed or amended claim(s) would canceling the non-allowable claim(s).	be allowable if submitted in a s	separate, timely filed amendment				
5. ☐ The a) ☐ affidavit, b) ☐ exhibit, or c) ☐ request fo application in condition for allowance because:		sidered but does NOT place the				
 The affidavit or exhibit will NOT be considered be raised by the Examiner in the final rejection. 		to issues which were newly				
7. For purposes of Appeal, the proposed amendment explanation of how the new or amended claims w	t(s) a) will not be entered or to will be rejected is provided bel	o)☐ will be entered and an low or appended.				
The status of the claim(s) is (or will be) as follows:						
Claim(s) allowed:						
Claim(s) allowed: Claim(s) objected to:						
Claim(s) rejected:						
Claim(s) rejected Claim(s) withdrawn from consideration:						
. The drawing correction filed on is a) approved or b) disapproved by the Examiner.						
9. Note the attached Information Disclosure Stateme						
10. Other:	,					
· · · · · · · · · · · · · · · · · · ·						

The amended claim 1 comprises new matter (an anti-splash member dividing the container into a receiving portion having a volume V1 and collection portion having a volume V2 with V1 being greater than V2 the anti-splash member including at least one aperture) that raises new issues that would require further consideration and/or search.

Henry/Bennett Supervisory/Fatent Examiner Gryup 3700